

Full list of peer reviewed scientific journal publications

References

- [1] Van der Kelen C, Cuenca J and Göransson P. A method for the inverse estimation of the static elastic compressional moduli of anisotropic poroelastic foams - With application to a melamine foam *Polymer Testing*, 43:123-130, 2015.
- [2] Lee J S, Göransson P and Kim Y Y. Topology optimization for three-phase materials distribution in a dissipative expansion chamber by unified multiphase modeling approach. *Computer Methods in Applied Mechanics and Engineering*, 287:44-59, 2015.
- [3] Van der Kelen C, Cuenca J and Göransson P. A method for characterisation of the static elastic properties of the porous frame of orthotropic open-cell foams. *Int J Engineering Science*, 86:191-211, 2015.
- [4] Rumpler R, Göransson P and Rice H. An adaptive strategy for the bivariate solution of finite element problems using multivariate nested Padé approximants. *Int J Numerical Methods in Engineering*, 100:689-710, 2014.
- [5] Van der Kelen C, Göransson P, Pluymers B and Desmet W. On the influence of frequency-dependent elastic properties in vibro-acoustic modelling of porous materials under structural excitation. *J Sound and Vibration*, 333(24):6560, 2014.
- [6] Cuenca J, Van der Kelen C and Göransson P. A general methodology for inverse estimation of the elastic and anelastic properties of anisotropic open-cell porous materials - with application to a melamine foam. *J Applied Physics*, 115(8), 2014.
- [7] Rumpler R, Göransson P and Deü J-F. A finite element approach combining a reduced-order system, Padé approximants, and an adaptive frequency windowing for fast multi-frequency solution of poro-acoustic problems. *Int. J. Numerical Methods in Engineering*, 97(10):759–784, 2014.
- [8] Cameron C J, Lind Nordgren E, Wennhage P and Göransson P. On the balancing of structural and acoustic performance of a sandwich panel based on topology, property, and size optimization. *J Sound and Vibration*, 333(13):2677–2698, 2014.
- [9] Lindberg E, Östberg M, Hörlin N-E and Göransson P. A vibro-acoustic reduced order model using undeformed coupling interface substructuring - Application to rubber bushing isolation in vehicle suspension systems. *Applied Acoustics*, 78:43–50, 2014.

- [10] Seifzadeh A, Pietrzyk A, Göransson P and Ramakrishnan R. Effect of coupling between passenger compartment and trunk of a car on coupled system natural frequencies using acoustic frequency response function. *Applied Acoustics*, 76:310–318, 2014.
- [11] Seifzadeh A, Pietrzyk A, Göransson P and Ramakrishnan R. Experimental investigation of coupling effects of passenger compartment and trunk of a car on coupled system natural frequencies using noise transfer function. *Applied Acoustics*, 83:16–21, 2014.
- [12] Dazel O, Brouard B, Groby J-P and Göransson P. A normal modes technique to reduce the order of poroelastic models: application to 2D and coupled 3D models. *Int. J. Numerical Methods in Engineering*, 96(2):110–128, 2013.
- [13] Van der Kelen C and Göransson P. Identification of the full anisotropic flow resistivity tensor for multiple glass wool and Melamine foam samples. *J Acoustical Society of America*, 134(6):4659–4669, 2013.
- [14] Lind Nordgren E, Göransson P, Deü J-F and Dazel O. Vibroacoustic response sensitivity due to relative alignment of two anisotropic poro-elastic layers. *J Acoustical Society of America*, 133(5):EL426–EL430, 2013.
- [15] Lindberg E, Hörlin N-E and Göransson P. An Experimental Study of Interior Vehicle Roughness Noise from Disc Brake Systems. *Applied Acoustics*, 74(3):396–406, 2013.
- [16] Rumpler R, Göransson P, and Deü J F. A residue-based mode selection and sorting procedure for efficient poroelastic modeling in acoustic finite element applications. *J Acoustical Society of America*, 139(6): 4730–4741, 2013.
- [17] Lindberg E, Hörlin N-E, and Göransson P. Component mode synthesis using undeformed interface coupling modes to connect soft and stiff substructures. *Shock and Vibration*, 20(1):157–170, 2013.
- [18] Rumpler R, Deü J F, and Göransson P. A modal-based reduction method for sound absorbing porous materials in poro-acoustic finite element models. *J Acoustical Society of America*, 132(5):3162–3179, 2012. DOI: 10.1121/1.4750496.
- [19] Cuenca J and Göransson P. Inverse estimation of the elastic and anelastic properties of the porous frame of anisotropic open-cell foams. *J Acoustical Society of America*, 132(2):621 – 629, 2012.
- [20] Dovstam K, Göransson P, and Gartmeier O. On linear modeling of interface damping in vibrating structures. *J Sound and Vibration*, 331:4299 – 4312, 2012.

- [21] Östberg M, Göransson P, Hörlin N-E, and Kari L. Weak forms for modelling of rotationally symmetric, multilayered structures, including anisotropic poro-elastic media. *Int. J. Numerical Methods in Engineering*, 90(8):1035–1052, 2012.
- [22] C. Cameron, Wennhage P, Göransson P, and Rahmqvist S. Structural-acoustic design of a multi-functional sandwich panel in an automotive context. *J Sandwich Structures and Materials*, 12:684–708, 2010.
- [23] Göransson P and Hörlin N-E. Vibro-acoustic modelling of anisotropic porous elastic materials: A preliminary study of the influence of anisotropy on the predicted performance in a multi-layer arrangement. *Acta Acustica united with Acustica*, 96:258–265, 2010.
- [24] Hörlin N-E and Göransson P. Weak, anisotropic symmetric formulations of biot’s equations for vibro-acoustic modelling of porous elastic materials. *Int. J. Numerical Methods in Engineering*, 84:1519–1540, 2010.
- [25] Cameron C, Göransson P, and Wennhage P. Prediction of NVH behaviour of trimmed body components in the frequency range 100-500hz. *Applied Acoustics*, 71:708–721, 2010.
- [26] Östberg M, Hörlin N-E, and Göransson P. Weak formulation of biot’s equations in cylindrical coordinates with harmonic expansion in the circumferential direction. *Int. J. Numerical Methods in Engineering*, 81:1439–1454, 2010.
- [27] Lind-Nordgren E and Göransson P. Optimising open porous foam for acoustical and vibrational performance. *J Sound and Vibration*, 329:753–767, 2010.
- [28] Cameron C, Lind E, Wennhage P, and Göransson P. Proposal of a methodology for multidisciplinary design of multifunctional vehicle structures including an acoustic sensitivity study. *Int. J of Vehicle Structures and Systems*, 1:1–13, 2009.
- [29] Göransson P, Guastavino R, and Hörlin N-E. Measurement and inverse estimation of 3D anisotropic flow resistivity for porous materials. *J Sound and Vibration*, 327:354–367, 2009.
- [30] Göransson P. Tailored acoustic and vibrational damping in porous solids engineering performance in aerospace applications. *Aerospace Science and Technology*, 12:26–41, 2008.
- [31] Guastavino R and Göransson P. A 3D displacement measurement methodology for anisotropic porous cellular foam materials. *Polymer Testing*, 26:711–719, 2007.

- [32] Göransson P. Acoustic and vibrational damping in porous solids. *Philosophical Transactions of the Royal Society, A*, 364:89–108, 2006.
- [33] Hörlin N-E, Nordström M, and Göransson P. A 3-D hierarchical fe formulation of Biot's equations for elasto-acoustic modelling of porous media. *J Sound and Vibration*, 245:633–652, 2001.
- [34] Rice H and Göransson P. A dynamical model of light fibrous materials. *Int. J Mechanical Sciences*, 41(4-5):561–579, 1999.
- [35] Göransson P. A 3D, symmetric, finite element formulation of the biot equations for a fluid saturated, linear, elastic porous medium. *Int. J. Numerical Methods in Engineering*, 41:167–192, 1998.
- [36] Göransson P. A weighted residual formulation of the acoustic wave propagation through a flexible porous material and a comparison to a limp material model. *J Sound and Vibration*, 182(3):479–494, 1995.
- [37] Göransson P. Acoustic finite element formulation of a flexible porous material - a correction for inertial effects. *J Sound and Vibration*, 185(4):559–580, 1995.
- [38] Sandberg G and Göransson P. A symmetric finite element formulation for fluid-structure interaction analysis. *J Sound and Vibration*, 123(3):507–515, 1988.
- [39] Goransson P and Davidsson F. A three dimensional infinite element for wave propagation. *J Sound and Vibration*, 115(3):556–559, 1987.